




| REV. | DATE     | DESCRIPTION     | CHK'D    | APP'VD      | ZONE |
|------|----------|-----------------|----------|-------------|------|
| 1    | 11-10-04 | INITIAL RELEASE | K. L. W. | [Signature] |      |


|                         |                       |          |        |
|-------------------------|-----------------------|----------|--------|
| DRAWING NO.             | ASY-5247              | REVISION | REL-01 |
| PROJECT CODE:           | LICK-51               |          |        |
| REQUIRED PER TELESCOPE: | 3 TOTAL PER TELESCOPE |          |        |
| MATERIAL:               | N/A                   |          |        |
| CONDITION:              | N/A                   |          |        |
| SURFACE FINISH:         | N/A                   |          |        |
| FINISH COLOR:           | N/A                   |          |        |
| APPROXIMATE MASS:       | 52921 gm              |          |        |

NOTES:  
 1) AN ALIGNMENT FIXTURE MUST BE UTILIZED TO PROPERLY ALIGN THE THREE OUTER HUBS WITH THE CENTRAL HUB. USE 6.00 mm DOWEL PINS TO LOCATE THE HUBS AS SHOWN.  
 2) BEAD BLAST ENTIRE WELDMENT TO ELIMINATE DISCOLORATION AND GIVE A UNIFORM APPEARANCE.

Controlled Document  
 Confirm revision before using



| ITEM NO. | QTY. | PART NUMBER | DESCRIPTION   | Material                        | Weight |
|----------|------|-------------|---|---------------------------------|--------|
| 5        | 1    | ASY-5324    | LOADSPREADER MOUNTING BRACKET HUB, TYPE II - WELDMENT | N/A                             | 10882  |
| 4        | 2    | ASY-5244    | LOADSPREADER MOUNTING BRACKET HUB, TYPE I - WELDMENT  | N/A                             | 7900   |
| 3        | 1    | ASY-5240    | LOADSPREADER MOUNTING BRACKET MAIN HUB - WELDMENT     | N/A                             | 4315   |
| 2        | 2    | COM-5246    | LOADSPREADER MOUNTING BRACKET LONG BEAM               | AISI 304, W6x16 STRUCTURAL BEAM | 9921   |
| 1        | 1    | COM-5245    | LOADSPREADER MOUNTING BRACKET SHORT BEAM              | AISI 304, W6x16 STRUCTURAL BEAM | 2083   |



|  |  |   |              |              |      |                               |  |                             |
|--|--|---|--------------|--------------|------|-------------------------------|--|-----------------------------|
| <p><b>COPYRIGHT</b></p> <p>THIS DOCUMENT &amp; ENCLOSED PROPRIETARY INFORMATION REMAINS THE PROPERTY OF EOS TECHNOLOGIES, INC. THE INTELLECTUAL PROPERTY AND INFORMATION HEREIN MAY NOT BE COPIED NOR DISCLOSED WITHOUT WRITTEN CONSENT OF EOS TECHNOLOGIES, INC. MANAGEMENT</p> | <p>UNLESS OTHERWISE SPECIFIED:<br/>           DIMENSIONS ARE IN MILLIMETERS<br/>           X.X = ±0.25MM<br/>           X.XX = ±0.10MM<br/>           ANGLES = ±0.5°<br/>           ROUNDS AND FILLETS ARE R3.0<br/>           BREAK ALL SHARP EDGES 0.25MM X 0.25MM</p> | <p>WELDS ARE: MAX SIZE FILLET OR FULL PENETRATION GROOVE WELD AS APPROPRIATE.<br/>           ALL WELDS ARE CONTINUOUS<br/>           NEAREST NOMINAL STOCK SIZE MAY BE SUBSTITUTED UPON APPROVAL<br/>           INDICATED MACHINED SURFACES</p> | DESIGN       | M. NICKERSON | DATE | 11/24/03                      | <p><b>EOS</b> EOS TECHNOLOGIES, INCORPORATED<br/>           925 W. GRANT RD, TUCSON, AZ 85705 PH: (520) 624-6399 www.eostech.com</p> |                             |
|  |  |   | DRAWN        | J. CATONE    | DATE | 2/27/04                       |  |                             |
|  |  |   | CHECKED      | [Signature]  | DATE | 11-10-04                      |  |                             |
|  |  |   | APPROVED     | [Signature]  | DATE | 4/10/04                       |  |                             |
| <p>3.2</p>   |  |   | <p>SCALE</p> |              | 1:4  | <p>STATUS</p> <p>Released</p> | <p>REVISION</p> <p>REL-01</p>  | <p>SHEET SIZE</p> <p>A1</p> |